
2L 4G1 E99Z ENT

The

Entomologist's Record

and Journal of Variation



Contents and Special Index

Volume 122 2010

ISSN 0013-8916

A publication of The Amateur Entomologists' Society

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: Entomologist's Rec. J. Var.

http://www.entrecord.com

Published by the Amateur Entomologists' Society UK Registered Charity number 2674302

Annual subscription for 2010 is £25 for individuals or £50 for institutional subscribers

Editor

C.W. PLANT, B.Sc., F.R.E.S.

14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.
Telephone/Facsimile: 01279 507697 E-mail: cpauk1@ntlworld.com

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor Subscriptions, change of address, etc – contact PO Box 8774, London SW7 5ZG Late or non-arrivals, back issues – contact PO Box 8774, London SW7 5ZG

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British Insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue. The Editor will be pleased to assist in any way possible, especially if you are a first-time author. If in doubt – contact me! Ideally material will be compatible with Microsoft Word and will arrive via e-mail, but we will accept typescripts or *neatly* hand-written contributions for shorter Notes

Notes are reviewed and accepted by the Editor and are especially welcomed. We aim to publish these within two issues of acceptance.

Full papers must include an Abstract and a maximum of ten Key Words and acceptance is subject to external peer-review; full papers may be returned for changes before final acceptance and we aim to publish these within three or four issues of original receipt.

Colour or black and white photographs are welcomed but will only be used if they are deemed relevant by the Editor. All pictures, as well as graphs and other objects created in Excel or other programs must be sent as seperate files. This is because files embedded in Word documents cannot be edited.

We now issue Pdf files in place of paper reprints. These are sent automatically to the first named author of Papers. Authors of Notes may request a Pdf of their contribution. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

Data Protection Act, 1998

Subscribers' names, address, AES publications subscribed to and, where provided, e-mail addresses and telephone numbers, are stored on a computer database for the sole purpose of administering the publication and distribution of this journal. The information may be accessed by or sent to elected AES council members for AES business purposes, but will be used solely for the purposes of managing AES membership subscriptions and administering the Society. It will not be divulged to any third party without your permission except where the Society is legally obliged to do so. By subscribing to the *Entomologist's Record and Journal of Variation* you agree to these data storage conditions. If you object to us storing this data please let us know.

CONTENTS

compiled by Colin W. Plant and Andrew Smith

1: PEER-REVIEWED PAPERS

A

A new genus and species of Telenominae (Hym., Platygastroidea: Scelionidae) from Italy. Giovanni Mineo, James P. O'Connor and Patrick Ashe, 267-271

A note on the early stages of *Olethreutes schulziana* (Fabricius, 1776) (Lep.: Tortricidae). R. J. Heckford, 191-194

An examination of the status of *Diachrysia stenochrysis* (Warren, 1913) and its possible occurrence in Britain as a sibling of *D. chrysitis* (L.) (Lep.: Noctuidae). *Colin W. Plant*, 128-136

An initial study of the feeding and egg-laying preferences of bark dwelling Psocids (Psocoptera) using composite bark blocks. *Robert E. Saville*, 35-42

B

Barea asbolaea (Meyrick, 1833) (Lep.: Oecophoridae sensu stricto): an adventive moth new to the British fauna. Laurie Oakes, Helen Oakes, Jon Clifton and Colin W. Plant, 185-190

British distribution of Aricia Lep.: Lycaenidae. Bill Smyllie, 74-84

Butterfly diversity from a sequential survey. Robert Myler and Laurence M. Cook, 23-27

C

Celypha woodiana (Barrett) (Lep.: Tortricidae) - An update. Mark Parsons and James McGill, 49-52

(The) changing moth and butterfly fauna of Britain – the first decade of the twenty-first century (2000-2009). *Mark Parsons*, 13-22

Cnephasia pumicana (Zeller, 1847) (Lep.: Tortricidae) stat. rev. newly recognised as British. John L. Langmaid and David J. L. Agassiz, 137-142

Contribution to the Bulgarian macrolepidoptera fauna (Lepidoptera: Geometridae, Noctuidae). Stoyan Beshkov, 175-181

F

Further British records of *Baryproctus barypus* (Marshall) (Hym.: Braconidae) from North Kent with notes on variation. *Laurence Clemons*, 209-212

G

Gorgyra stewarti sp.nov. – a surprising new Skipper butterfly from Cameroun and the Democratic Republic of Congo (Lep.: Hesperiidae). Torben B. Larsen, 55-58.

I

Insects of Waveney Forest (Fritton Warren) in East Norfolk. Tim Gardiner, 155-162

M

Microlepidoptera Review of 2009. J. R. Langmaid and M. R. Young, 233-253

Notes on the early stages of The Triangle Heterogenea asella ([D. & S.], 1775) (Lep.: Limacodidae). R. J. Heckford, B. P. Henwood and S. D. Beavan, 97-111

0

Observations on the use of wing-markings and genitalia to distinguish Dark-Barred Twin-Spot Carpet *Xanthorhoe ferrugata* (Cl.) and Red Twin-Spot Carpet *X. spadicearia* ([D. & S.]). (Lep.: Geometridae) and on the implications for recording these species. *Martin Townsend*, 120-127

P

- Perching and patrolling continuum at favoured hilltop sites on a ridge: a mate location strategy by the Purple Emperor butterfly *Apatura iris. R. J. C. Page*, 61-70
- Plumbeous Spruce Tortrix *Cymolomia hartigiana* (Saxesen, 1840) (Lep.: Tortricidae) new to the British Isles. *Matthew J. Deans* and Jon Clifton, 8-11
- Ponera testacea (Emery, 1895) (Hym.: Formicidae) new to Britain from Dungeness, East Kent. P. J. Attewell, C. A. Collingwood and A. Godfrey, 112-119
- Population size and dispersal ability of *Cryptocephalus nitidulus* (Linnaeus, 1758) (Col.: Chrysomelidae). R. W. Piper and S. G. Compton, 257-264

T

- Tortricid moths new to the Bulgarian and European fauna (Lepidoptera: Tortricidae). Boyan Zlatkov and Yuriy Budashkin, 87-92
- Two changes in nomenclature within the genus *Acrotrichis* Motschulsky (Col.: Ptiliidae) from Sri Lanka and Panama. *Colin Johnson*, 43-44
- Two new species of Noctuidae (Lepidoptera), Subfamilies Hypenodinae and Hypenidae, from Fiji. *John Clayton*, 219-223

2: NOTES

A

- A further occurrence of the antlion Euroleon nostras (Geoffr. in Fourcroy) (Neur.: Myrmeleontidae) in Norfolk. Ian Mills and Dave Hipperson, 271
- A record of *Cydia inquinatana* (Hb.) (Lep.: Tortricidae) from Suffolk. *Jeff B. Higgott and Robin M. Harvey*, 199-201
- A record of *Sciota hostilis* Stephens) (Lep.: Pyralidae) from Kent and some notes on its occurrence in the county. *P. J. Jewess*, 167-168
- A striking aberrant form of Catocala nupta (L.) (Lep.: Noctuidae). Gerard Band, 144-145
- A tale of two Water Bugs: *Notonecta glauca* L., 1758 and *Corixa iberica* Jansson, 1981 (Heteroptera). *Nick J. Riddiford*, 204-206
- An alternative to slide-mounting for moth genitalia. Richard Dickson, 32-33
- Autumn migration of the Painted lady Vanessa cardui (L.) (Lep.: Nymphalidae). Peter Oliver, 183

B

- Biology of *Phytomyza (Chromatomyia) aprilina* Goureau, 1851 (Dip.: Agromyzidae). *Keith P. Bland*, 230-231
- Bucculatrix maritima (Stt.) (Lep.: Bucculatricidae) feeding in October at two English sites. Robert Homan, 279-280

- Caloptilia leucapennella (Stephens) (Lep.: Gracillariidae) at Jealott's Hill, Berkshire. Ian Sims, 195-196
- Calybites phasianipennella (Hb.) (Lep.: Gracillariidae) larvae in Berkshire. Ian Sims, 172-173
- Chestnuts galore. Mark Cubitt, 197-199
- Cosmopterix zieglerella (Hb.) (Lep.: Cosmopterigidae) in east Berkshire, an update. Ian Sims, 59
- Cosmopterix zieglerella (Hb.) (Lep.: Cosmopterigidae) in Staffordshire: A new moth to the West Midlands area. Jon and Ad Clifton, 42
- Crombrugghia laetus (Zell.) (Lep.: Pterophoridae) new to Ireland. Tony Bryant and K. G. M. Bond, 34
- Cydia pactolana (Zeller 1840) (Lep.: Tortricidae): new to Buckinghamshire. Peter Hall, 146-147

negative? D

- Devon Carpet *Lampropteryx otregiata* (Metcalfe) and Tree-lichen Beauty *Cryphia algae* (Fabr.): Two new macro moth species in Huntingdonshire (VC 31). *Barry Dickerson*, 52
- Devon Carpet *Lampropteryx otregiata* (Metcalfe) (Lep.: Geometridae) in Suffolk an update. *Jeff B. Higgott*, 4
- Devon Carpet Lampropteryx otregiata (Metcalfe) (Lep.: Geometridae) in Warwickshire. David C. G. Brown, 4
- Devon Carpet Lampropteryx otregiata (Metcalfe) (Lep.: Geometridae) new for Buckinghamshire in 2009. Dave Wilton, 4-5
- Diaphania perspectalis (Walker, 1859) (Lep.: Crambidae) in Hertfordshire. James Fish and Julian Reeves, 203-204
- Discestra trifolii (Hufn.) (Lep.: Noctuidae), the Nutmeg in West Sutherland. Stephen Palmer, 153

E

- Ectoedemia amani Svensson (Lep.: Nepticulidae) in Bedfordshire (VC 30), and a review of the current British records. D. V. Manning and B. Dickerson, 207-208
- Ectoedemia longicaudella Klimesch, 1953 (Lep.: Nepticulidae) new to Britain. Peter Hall, 112
- Editorial Comment on Rhamphus oxyacanthae. Colin W. Plant, 30
- Enemies of figwort weevils Cionus sp. (Col.: Curculionidae). Ross Piper, 84-86
- Ethmia quadrillella Goeze (Lep.: Ethmiidae) on the Channel Islands a correction. Philip J. L. Gould, 224
- Extreme mothing: Capture of three White-spotted Pinion moths *Cosmia diffinis* (L.) (Noctuidae) at light in Bedfordshire during four hours of pouring rain and other recent news of this UK Biodiversity Action Plan Priority Species. *Paul Waring*, 53-54

F

Footman moths (Lep.: Arctiidae, Lithosiinae) in a Berkshire garden 2007 to 2009, with special reference to the Hoary Footman *Eilema caniola* (Hb.). *Roger Hayward*, 2-3

H

- Hazards of butterfly collecting killing an African skipper (*Papilio flesus* Fabricius, 1781 = *Sarangesa aza* Evans, 1951 syn. nov.). *Torben B. Larsen*, 163-166
- Hazards of butterfly collecting. Oxylides faunas and informal distance learning Ghana, 2005. *Torben B. Larsen*, 5-7
- Hymenaphorura nova Pomorski, 1990 (Collembola: Onychiuridae) in the hyporheos of a karstic river: a new species and genus for the UK in a novel habitat. P. J. A. Shaw, M. Dunscombe and A. Robertson, 213-215

Important records from the Rothamsted Estate, Harpenden, Hertfordshire (VC 20) in 2009. *Philip J. L. Gould*, 254-256

Important records from the Rothamsted Insect Survey light-trap on Guernsey 2008. *Philip J. L. Gould*, 28-29

Interesting Lepidoptera in Devon during 2009. Roy McCormick, 33-34

J

Juniper shieldbug Cyphostethus tristriatus (Fabr.) (Het.: Acanthosomatidae) in Perthshire, Scotland. D. Horsfield, 154

K

Key jangling - a little known technique for calming agitated moths. Charles Fletcher, 93

L

Lepidoptera mines on Evergreen Oak *Quercus* sp. in Huntingdonshire. *Barry Dickerson, Andy Banthorpe and Melissa Banthorpe*, 162-163

Lindenia tetraphylla (Vander Linden, 1825) (Odonata: Gomphidae) a new genus and species for the Bulgarian fauna. Victor Gashtarov and Stoyan Beshkov, 272-274

Lyme Grass *Chortodes elymi* (Tr.) (Lep.: Noctuidae) in both Lancashire Vice Counties, 59 and 60. *Stephen Palmer*, 229

M

Macro Moth Status Changes in West Lothian (VC 84). *Mark Cubitt*, 148-153 Moths new to the Isle of Wight in 2009. *Sam Knill-Jones*, 5

N

Nephopterix angustella (Hb.) (Lepidoptera: Pyralidae) new to Ireland. Tony Bryant, 266

Northern Rustic Standfussiana lucernea (L.) (Lep.: Noctuidae): new to Suffolk. Matthew J. Deans, 60

Notable British barkfly (Psocoptera) observations in 2008 and 2009. R. (Bob) E. Saville, 170-172 Notes on Cionus scrophulariae (L.) (Col.: Curculionidae). Clive R. Curtis, 265-266

0

Observations on Winter Moths *Operophtera brumata* (L.) (Lep.: Geometridae) during the winter of 2009-2010. *Dafydd Lewis*, 94-95

On the distribution of *Propomacrus bimucronatus* (Pallas, 1781) (Col.: Euchiridae) in Bulgaria. *Rostislav Bekchiev and Boyan Zlatkov*, 274-275

P

Pammene fasciana (L.) (juliana [Steph.] (Lep.: Tortricidae): a review of the historical and current status in Scotland. Matthew J. Deans, 173-174

Pammene giganteana (Peyerimhoff, 1863) (Lep.: Tortricidae) new to Buckinghamshire (VC 24). Dave Wilton, 147

Peyerimhoffina gracilis (Schneider (Neur.: Chrysopidae) – fourth British locality. Colin W. Plant, 278-279

Phyllonorycter muelleriella (Zeller, 1839) (Lep.: Gracillariidae) in Glamorgan (VC 41). David Slade, 195

Prays peregrina Agassiz, 2007 (Lep.: Yponomeutidae) – a further record from north-west Kent. Paul Sokoloff, 207

Pseudatemelia flavifrontella (D. & S.) (Lep.: Oecophoridae) new to Huntingdonshire, VC 31. Philip J. L. Gould, 213

R

Rhamphus oxyacanthae (Marsham) (Col.: Curculionidae) reared from Pear Pyrus communis. Robert Homan, 29-30

S

Second record of the Clay Fan-foot *Paracolax* Fabr. (Lep.: Noctuidae) for Dorset, VC 9. *Philip J. L. Gould*, 276-277

Stegania cararia (Hb.) (Lep.: Geometridae) at Merriott, Somerset – the first record for mainland Britain. David Evans, 11-12

Stigmella samiatella (Zell.) (Lep.: Nepticulidae) bred from Oak Quercus robur. Charles H. Fletcher, 73

\mathbf{T}

The ant-lion *Euroleon nostras* (Geoffroy in Fourcroy, 1785) (Neur.: Myrmeleontidae): New to Essex. *Jerry Bowdrey and Clive Atkins*, 143

The Concolorous Chortodes extrema (Hb.) (Lep.: Noctuidae) in Huntingdonshire. Barry Dickerson, 86

The Raspberry Clearwing *Pennisetia hylaeiformis* (Laspeyres) (Lep.: Sesiidae) in Hertfordshire, VC 20. *Philip J. L. Gould*, 202-203

The Ruddy Carpet *Catarhoe rubidata* ([D. & S.]). 1775) (Lep.: Geometridae) in Saffron Walden, Essex, 2004-2009. *Chris Tyler-Smith and Yali Xue*, 92

The Scarlet Tiger Callimorpha dominula (L.) in Hertfordshire and Middlesex. Colin W. Plant, 264-265

The Small Ranunculus *Hecatera dysodea* (D. & S.) (Lep.: Noctuidae) in Rothamsted Insect Survey Light Traps. *Philip J. L. Gould*, 277-278

The status of the Olive Crescent *Trisateles emortualis* (D. & S.) (Lep.: Noctuidae) and the Manylined, *Costaconvexa polygrammata* Borkh. (Lep.: Geometridae) on the Channel Islands. *Philip J. L. Gould*, 217-218

The winter generation of *Chromatomyia aprilina* (Goureau 1851, Dip.: Agromyzidae): more established than thought. *Robert Homan*, 169

Turning disaster to advantage: *Phryxe vulgaris* (Fall.) (Dip.: Tachinidae) reared from larva of the Lappet moth *Gastropacha quercifolia* (L.) (Lep.: Lasiocampidae) – apparently a new host record. *Colin W. Plant*, 216

Tuta absoluta (Meyrick, 1917: Lep: Gelechiidae): an adventive species new to Britain. Robert Homan, 31-32

Two species of hornbeam-feeding microlepidoptera new to Berkshire. Ian Sims, 166

V

Volucella zonaria (Poda) (Dip.: Syrphidae) in Northamptonshire. K. F. Williams, 59

W

Welsh Wave Venusia cambrica Curtis (Lep.: Geometridae) in Middlesex. Debbie Pledge, 190

X

Xestia trifida (Fischer von Waldheim, 1820) (Lep.: Noctuidae): first report for Bulgaria, with some additional faunistic records. Stoyan Beshkov and Radko Radev, 224-228

3: SUBSCRIBERS' NOTICES AND ANNOUNCEMENTS

A. A. Allen, Editor, 266

4: BOOK REVIEWS

Flora of Hertfordshire by Trevor J. James, 47-48

Identification keys to the microlepidoptera of The Netherlands by Joop H. Kuchlein and Leo E. J. Bot, 231

Les Pyrales de la Manche by Nicole Lepertel and Jean -Paul Quinette, 45-46

The Geometrid Moths (Lepidoptera, Geometridae) of Mt. Fruška Gora (Northern Serbia) by D. V. Stojanović, S. B. Ćurčić & M. M. Brajković, 184

The Plant- and Leafhoppers of Germany by Robert Biedermann and Rolf Niedringhau, s44-45

The Witt Catalogue. A taxonomic atlas of the Eurasian and North African Noctuoidea. Cuculliinae I. by Ronkay, G. and Ronkay, L., 46-47

Tortricidae of the Palaearctic Region. Volume 2: Cochylini by Jósef Razowski, 48

5: OBITUARIES

Reginald Arthur Bell, 71-73

6: CONTRIBUTORS

Page number entries **in bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, page number entry is printed in italic type.

3 - V	
Agassiz, David J. L	
Ashe, Patrick	71 Homan, Robert29-30, 31-32, 169, 279-280
Atkins, Clive1	
Attewell, P. J112-1	19 Jewess, P. J
Band, Gerard144-1	
Banthorpe, Andy162-1	Knill-Jones, Sam5
Banthorpe, Melissa162-1	Langmaid, John R 137-142, 233-253
Beavan, S. D97-1	Larsen, Torben B5-7, 55-58 , 163-166
Bekchiev, Rostislav274-2	
Beshkov, Stoyan175-181, 224-22	8, Manning, D. V207-208
272-2	74 McCormick, Roy33-34
Bland, Keith P230-2	31 McGill, James
Bond, K. G. M.	Mills, Ian271
Bowdrey, Jerry1	Mineo, Giovanni
Brown, David C. G.	.4 Myler, Robert23-27
Bryant, Tony34, 2	O'Connor, James P
Budashkin, Yuriy87-	92 Oakes, Laurie185-190
Clayton, John219-2	
Clemons, Laurence209-2	
Clifton, Ad	Page, R. J. C61-70
Clifton, Jon42, <i>8-11</i> , <i>185-1</i>	
Collingwood, C. A	
Compton, S. G257-2	64 Piper, Ross W84-86, 257-264
Cook, Laurence M23-	Plant, Colin W30, 128-136 , <i>185-190</i> ,
Cubitt, Mark148-153, 197-1	99 216, 264-265, 278-279
Curtis, Clive R	66 Pledge, Debbie190
Deans, Matthew J8-11, 60, 173-1	74 Radev, Radko224-228
Dickerson, Barry52, 86, 162-163, 207-2	08 Reeves, Julian203-204
Dickson, Richard32-	Riddiford, Nick J204-206
Dunscombe, M213-2	15 Robertson, A213-215
Evans, David11-	12 Saville, R. E 35-42, 170-172
Fish, James203-2	O4 Shaw, P. J. A213-215
Fletcher, Charles H73,	93 Sims, Ian59, 166, 172-173, 195-196
Gardiner, Tim155-1	Slade, David195
Gashtarov, Victor272-2	74 Smyllie, Bill 74-84
Godfrey, A	19 Sokoloff, Paul207
Gould, Philip J. L 28-29, 202-203, 21	3, Townsend, Martin120-127
217-218, 224, 254-25	6, Tyler-Smith, Chris92
276-277, 277-2	78 Waring, Paul53-54
Hall, Peter112, 146-1	
Harvey, Robin M	
Hayward, Roger2	
Heckford, R. J97-111, 191-1	
Henwood, B. P97-1	
Higgott, Jeff B4, 199-2	1

SPECIAL INDEX

Compiled by Catherine Wellings

Newly described taxa are indicated in **bold** type

Taxa new to, or newly recognised in, the British Isles and mentioned first in this volume are denoted by an asterisk.

	Page		Pag
LEPIDOPTERA	id to make the	antiopa, Aglais	160
absoluta, Tuta *31-32*	*, 234, 245	antiopa, Nymphalis	
acanthadactyla, Amblyptilia	253	aprilina, Dichonia	183, 196
aceris, Stigmella	237	arcuatella, Ectoedemia	236
acetosae, Enteucha	237	areola, Xylocampa	151
achatana, Ancylis	249	argiolus, Celastrina	160
Acronicta	53	argoteles, Emmelina	
acroxantha, Tachystola	243	argyrana, Pammene	
acuminatana, Dichrorampha		argyropeza, Ectoedemia	
acutellus, Sclerocona		aridella, Pediasia	
adelphella, Salebria	168	arion, Maculinea	
adelphella, Sciota		artaxerxes, Aricia	
adjectella, Coleophora		asbolaea, Barea *	
advenella, Trachycera		asella, Heterogenea	
aegeria, Pararge		asseclana, Cnephasia	
aeneofasciella, Stigmella		assimilis, ssp. of zeta, Apamea	
aeriferanus, Ptycholomoides		atalanta, Vanessa15, 17, 19,	
aestivella, Metzneria		atomella, Agonopterix	
affinis, Bryotropha		atra, Blastodacna	
affinis, Cosmia		atrata, Odezia	
agathina, Xestia		atricapitella, Stigmella	
agestis × artaxerxes, Aricia		atrifrontella, Ectoedemia11	
agestis, Aricia74-84		atriplicella, Scrobipalpa	
agestis, Plebeius		aureatella, Micropterix	
albicosta, Coleophora		aurinia, Eurodryas	
albidella, Coleophora		autumnitella, Acrolepia	
albipuncta, Mythimna		aza, Sarangesa16	
albistria, Argyresthia		azaleella, Caloptilia	
albuginana, Pammene		bajularia, Comibaena	
albula, Meganola		basigutella, Stigmella	
albulata, Perizoma		baynesi, ssp. of tages, Erynnis	
algae, Cryphia		betulinella, Nemaxera	
alnetella, Stigmella		bicolorata, Hecatera	
alniaria, Ennomos		bifaciata, Perizoma	
alpinella, Platytes		bifasciana, Spatalistis	
alpium, Moma		bilunana, Epinotia	
alstromeriana, Agonopterix		bimaculata, Lomographa	
amani, Ectoedemia		binaevella, Phycitodes	
ambigualis, Scoparia		bisselliella, Tineola	
ancipitella, Scoparia		bistriatella, Apomyelois	
anderidae, Phyllonorycter		biviella, Vitula	
anglica ssp. sororiata, Carsia		blancardella, Phyllonorycter	the state of the second second
angustella, Nephopterix		blandiata, Perizoma	
angustiorana, Ditula		blattariella, Anacampsis	
angustivalva sp. nov., Fealathina		branderiana, Pseudosciaphila	
anomala, Stilbia		brassicae, Pieris	
anthyllidella, Aproaerema		britannica, Thera	
anniymucha, Aproacicilla		Ulliamilea, Incla	130

brumata, Operophtera94-95	conterminella, Agonopterix	244
brunneata, Itame201	contigua, Lacanobia	173
bucephala, Phalera151	continuella, Stigmella	236
buettneri, Sedina13	convolvuli, Agrius	149
bulgarica, Valerietta226	conwagana, Pseudargyrotoza	247
buoliana, Rhyacionia250	coryli, Colocasia	148
caecana, Grapholita250	costaestrigalis, Schrankia	151
caesiata, Entephria149	costella, Scrobipalpa	245
caespititiella, Coleophora242	costipunctana, Epiblema	250
cagnagella, Yponomeuta241	croceago, Jodia	18
c-album, Polygonia160	croceus, Colias	
caledoniana, Acleris248	croesella, Adela	238
calycotomella, Coleophora16	cruciata, Heterogenea	106
cambrica, Venusia173, 190	cruda, Orthosia	
camilla, Limenitis155, 157, 160	cuculipennella, Caloptilia	
canapennella, Elachista243	culmella, Chrysoteuchia	
candefacta, Acontia175, 177, 178, 179	cuneatella, Gelechia	
caniola, Eilema2-3	cuprella, Adela	
cararia, Stegania *11-12	cupressella, Argyresthia	
cardamines, Anthocharis160	cupriacella, Nemophora	
cardui, Vanessa160, 183	cydoniella, Phyllonorycter	
carmelita, Odontosia151	cynosbatella, Epiblema	
carphodactyla, Euleioptilus253	decentella, Ectoedemia	
carpinata, Trichopteryx148	demarniana, Epinotia	
carpinella, Parornix22, 166, 182, 196	dentalis, Cynaeda	
carpinella, Stigmella22, 100, 102, 190	dentella, Ypsolopha	
caudata, Fealathina220	depressa, Eilema	
centaureata, Eupithecia152	dianthii, Anarta	
cerasana, Pandemis247	didyma, Mesapamea	
cespitana, Celypha248	diffinis, Cosmia	
cherrug, Polia227	diffinis, Teleiopsis	
christyi, Epirrita150	dilutella, Pempeliella	1
chrysitis, Diachrysia128-136	dimidiata, Idaea	
chrysolepidella, Eriocrania235	diminutana, Ancylis	
	discordella, Coleophora	
chrysorrhoea, Euproctis110	_	
cilialis, Nascia	dispar, Lymantria	
cingillella, Elachista243	distinctella, Chionodes	
cingulata, Pyrausta252	dodecea, Ethmia	
cirsiana, Epiblema	dodecella, Exoteleia	· ·
clavis, Agrotis	domestica, Bryotropha	
clematella, Nemapogon238	domestica, Cryphia	
clerkella, Lyonetia241	dominula, Callimorpha	
clypeiferella, Coleophora28	dubiella, Tinea	
cnicana, Aethes247	dubitella, Phyllonorycter	
c-nigrum, Xestia53	dysodea, Hecatera	
cognata, Thera149	efformata, Aplocera	
comitata, Pelurga149	effractana, Acleris	
complana, Eilema2-3	electa, Catocala	
compositella, Grapholita250	elegans, Kentrochrysalis	
confusa, Hadena151	elymi, Chortodes	
confusa, Macdunnoughia17	emortualis, Trisateles	
confusalis, Nola151	epiphron, Erebia	
conjugella, Argyresthia240	eremita, Dryobotodes	
conjunctana, Cydia87-92	erxlebella, Roeslerstammia	
consimilana, Clepsis247	euphrosyne, Boloria	144

exiguata, Eupithecia150	genitalana, Cnephasia137, 141, 248
exsoleta, Xylena152	germmana, Pammene250
extrema, Chortodes86	giganteana, Pammene147, 250
fagaria, Dyscia151	gilvago, Xanthia149
fagi, Stauropus167	gilvicomana, Phalonidia247
fagiglandana, Cydia251	glabratella, Argyresthia240
falcataria, Drepana150	glaucinalis, Orthopygia252
falciformis, Epermenia251	glaucinella, Argyresthia240
fascelina, Dicallomera173	gracilis, Orthosia151
fasciana, Pammene173-4, 250	grandipennis, Scythris246
faunus, Oxylides5-7	griseana, Zeiraphera249
fenestratella, Monopis238	grisella, Achroia253
ferrugalis, Udea252	griseola, Eilema2-3, 53
ferrugana, Acleris248	gryphipennella, Coleophora242
ferrugata, Xanthorhoe120-127	haasi, Plutella234, 241
festaliella, Schreckensteinia	halterata, Lobophora
festucae, Plusia	hannoverella, Ectoedemia
fibulella, Adela238	harouni, Nola
fijiensis, Hypena223	harpagula, Sabra
filicivora, Psychoides238	hartigiana, Cymolomia *8-11, 234, 248
finitimella, Parornix239	heckfordi, Ectoedemia233, 236
flammealis, Endotricha252	hellerella, Blastodacna246
flavicaput, Spuleria246	hepariella, Zelleria241
flaviciliana, Cochylis247	hepatica, Lithophane151
flavidorsana, Dichrorampha251	heringella, Ectoedemia18, 162, 182, 196,
flavifrontella, Pseudatemelia213, 243	236
flavimitrella, Lampronia237	heringi, Cnephasia87-92
flesus, Papilio163-166	hesperica, ssp. of leautieri, Lithophane .151
flesus, Tagiades165, 166	hibernica, ssp. of aurinia, Eurodryas145
fluctuata, Xanthorhoe53	hortulata, Eurrhypara252
fluctuosa, Tetheella173	hospes, Proxenus15
fluxa, Chortodes255, 256	hostilis, Sciota167-8
follicularis, Coleophora242	hostis, Phyllonorycter239
forficalis, Evergestis252	hreblayi, Valerietta224, 226, 227, 228
forficella, Donacaula251	hungarica, ssp. of dianthii,
forsskaleana, Acleris248	Anarta (Hadula)226, 228
forsterella, Glyphipterix240	hyemana, Acleris248
* * *	•
fovealis, Duponchelia	hylaeiformis, Pennisetia16, 202-203
fraxinella, Prays241	hyperantus, Aphantopus
fraxini, Catocala	ibipennella, Coleophora242
froelichiella, Phyllonorycter240	icarus, Polyommatus160
fulvalis, Udea252	imella, Monopis238
fulviguttella, Phaulernis251	immutata, Scopula33
fulvimitrella, Triaxomera238	incarnatella, Rhigognostis241
fumatella, Chionodes244	incertana, Cnephasia248
funebrana, Grapholita250	incongruella, Amphisbatis243
furfurana, Bactra249	inconspicua, Dichrorampha87-92
furuncula, Mesoligia95	inconspiqua, Dichrorampha87-92
fuscalis, Opsibotys252	inopiana, Phtheochroa247
fuscescens, Borkhausenia243	inquinatana, Cydia199-201, 251
fuscicornis, Coleophora242	insecurella, Epermenia251
gallii, Hyles17	inspersella, Scythris247
gamma, Autographa9, 134	instabilella, Scrobipalpa245
gangabella, Elachista243	interpunctella, Plodia253
genistella, Pempelia253	interrogationis, Syngrapha151
0	

intexta, Cydia87		lineola, Thymelicus	
intimella, Ectoedemia2	236	liturosa, Agonopterix	195
intricata, Eupithecia		ljungiana, Argyrotaenia	247
io, Inachis1	.60	lobarzewski, Grapholita	250
ipsilon, Agrotis	.60	lobella, Luquetia	243
iris, Apatura61-70, 1	.07	locupletella, Mompha195, 2	246
italica, Metalampra	.16	logiana, Acleris	
ivella, Argyresthia1	.95	longana, Cnephasia	247
janthe, Noctua	.53	longicaudella, Ectoedemia * 112*, 234, 2	236
janthina, Noctua16,	60	lonicerae, Zygaena	150
janthinana, Grapholita2	250	lophyrella, Sorhagenia	246
josephinae, Pseudatemelia2		lucens, Amphipoea	
jubata, Alcis1		lucernea, Standfussiana60,	
juncta, f. of chrysitis, Diachrysia128-1		lucidella, Monochroa	
jungiella, Grapholita2		luctuosa, Tyta	
juniperata, Thera1		lunana, Philedonides	
jurassicella, Mompha2		lunosa, Omphaloscelis	
jurtina, Maniola1		lupulinus, Hepialus	
kadenii, Platyperigea		lurideola, Eilema	
kuehniella, Ephestia2		lusciniaepennella, Coleophora	
labecula, Dryobota18,		lutarea, Metriotes	
laburnella, Leucoptera		luticomella, Elachista	
lacertinaria, Falcaria		lutipennella, Coleophora	
lacteana, Bactra2		lutosa, Rhizedra	
lacteella, Mompha2		lutulentella, Monochroa	
lacticolella, Blastobasis2		mabira, ssp. of thecla, Sarangesa	
laetus, Crombrugghia		macularia, Pseudopanthera	
laetus, Oxyptilus2		· ·	
, v T		maculicerusella, Elachista	
laevigatella, Argyresthia		maculosana, Hysterophora	
laichartingella, Diplodoma		maesseni, Fresna	
lamii, Phlogophora		magdalenae, Stigmella	
lanestris, Eriogaster		malifoliella, Leucoptera	
langiella, Mompha		manniana, Phalonidia	
laricana, Spilonota		margaritella, Catoptria	
laricella, Coleophora2		marginana, Endothenia	
lariciata, Eupithecia1		marginea, Emmetia	
lassella, Coleophora2		maritima, Bucculatrix279-2	
lathyrana, Grapholita2		maritimus, Chilodes	
latistria, Agriphila2		maura, Mormo	
latomarginata, ssp. of lonicerae,		megera, Lasiommata155, 157,	
Zygaena1		melinus, Strymon	
latruncula, Oligia1		mellinata, Eulithis	
lautella, Phyllonorycter1		mesomella, Cybosia	
leautieri, Lithophane1		messingiella, Eidophasia	
lemnata, Cataclysta2		messmeri, Autographa	
lemniscella, Stigmella2		meticulosa, Phlogophora	
leucapennella, Caloptila182, 195-1		metzneriana, Eucosma	
leucogaster, Ochropleura2		micacea, Hydraecia	
leucographella, Phyllonorycter2		micana, Olethreutes	
leucophaearia, Agriopis1		micella, Argolamprotes	
lichenea, Polymixis1	49	microgrammana, Cydia	251
limacodes, Apoda101-1	.11	millieraria, ssp. of intricata, Eupithecia.	150
limbata, Evergestis2	2.52	millieridactyla, Stenoptilia	
linariata, Eupithecia1		miniata, Miltochrista	2-3
lineatella. Anarsia	45	minimus, Cupido	145

molliculana, Cochylis247	pascuella, Crambus251
moneta, Polychrysia149	pasiuana, Cnephasia137-142, 234
monoglypha, Apamea53	pastinum, Lygephila256
montivaga, Euxoa178, 179, 180	peltigera, Heliothis
morronensis, Arcia82	peregrina, Prays
mucronellus, Donacaula251	periodica, Barea
muelleriella, Phyllonorycter195	perlella, Crambus251
mulinella, Mirificarma244	perlucidalis, Phlyctaenia
munda, Orthosia151	permixtana, Gynnidomorpha247
mundana, Nudaria149	persicariae, Melanchra
muricolor, ssp. of exiguata, Eupithecia150	perspectalis, Diaphania14, 203-204, 252
musculosa, Oria18	perspectalis, Glyphodes203-204
myrtillana, Ancylis249	petasitis, Hydraecia152
	petiverella, Dichrorampha251
myrtillalla Stigmalla 237	phasianipenella, Calybites30-31,
myrtillella, Stigmella	172-173, 182, 196, 239
naevana, Rhopobota249	
napi, Pieris	phlaeas, Lycaena
nemoralis, Agrotera252	phocion, Ceratrichia
nervosa, Agonopterix	phragmitella, Chilo
nigricomella, Bucculatrix238	phragmitella, Limnaecia
niphognatha, Monochroa244	picaepennis, Scythris
niphopasta, Valerietta224, 227, 228	piercei, Aethes
nitidalis, Musotima234, 252	pilella, Nematopogon
nobilella, Elachista243	pimpinellae, Depressaria185, 243
notatella, Carpatolechia244	pinastri, Hyloicus53
nubilalis, Ostrinia252	pinguinalis, Aglossa252
nupta, Catocala144	pini, Dendrolimus
obelisca, Euxoa149	pinicolella, Batrachedra246
obliquella, Stigmella237	platani, Phyllonorycter239
oblongana, Endothenia248	plecta, Ochropleura53
obtusana, Ancylis249	plumigeralis, Pechipogo17
ocellana, Agonopterix244	podolica, ssp. of syriaca, Hadena226
ocellana, Spilonota250	polychromella, Syncopacma245
ocellata, Cosmorhoe53	polygrammata, Costaconvexa217-218
ochraceella, Mompha246	pontica, Craniophora226
oculea, Amphipoea52, 149	populi, Poecilocampa150
oehlmanniella, Incurvaria237	porcellus, Deilephila149
ohridella, Cameraria16, 234, 240	porphyrana, Eudemis249
oleae, Prays241	porrectella, Plutella241
olivalis, Udea252	postvittana, Epiphyas51, 247
omoscopa, Opogona14, 238	potentillae, Coleophora242
ononidis, Parectopa239	poterii, Stigmella236
oo, Dicycla183, 196	praeangusta, Batrachedra246
operculella, Phthorimaea31	prasinana, Pseudoips151
oppressana, Gypsonoma250	primaria, Theria95, 150
otregiata, Lampropteryx4-5, 52	processionea, Thaumetopoea17
pactolana, Cydia146-147	propinquella, Mompha253
padellus, Yponomeuta262	prunata, Eulithis152
paleana, Aphelia247	prunetorum, Stigmella237
pallidactyla, Platyptilia253	prunifoliella, Lyonetia13, 241
palpella, Aplota243	pterodactyla, Stenoptilia253
pamphilus, Coenonympha157, 160	puella ssp. puella, Archiearis175, 177
papilionaria, Geometra9	puella, Archiearis175, 177
parasitella, Triaxomera238	pulcherrimella, Depressaria243
parvidactylus, Oxyptilus34	pulchrimella, Cosmopterix16
	,

pumicana, Cnephasia * .137-142*, 234, 247	ruficiliaria, Cyclophora16
punctidactyla, Amblyptilia253	rufifasciata, Gymnoscelis150
puppillaria, Cyclophora17	rufipennella, Caloptilia239
purpuralis, Zygaena145	ruralis, Pleuroptya53
purpurea, Agonopterix243	ruricolella, Nemapogon238
puta, Agrotis53	sabulosa, ssp. of purpuralis, Zygaena145
putnami, Plusia134	salicella, Hedya248
pygmaeana, Epinotia249	salicicolella, Phyllonorycter239
pygmaeata, Eupithecia150	salopiella, Eriocrania236
pygmeaella, Argyresthia253	samadensis, Scrobipalpa245
pyralina, Cosmia53	samiatella, Stigmella73, 237
pyrausta, Ethmia244	sangiella, Syncopacma245
pyri, Stigmella237	sangii, Eriocrania236
quadrillella, Ethmia28, 60, 224	saturatella, Coleophora242
quadrimaculana, Endothenia249	sauciana, Apotomis248
quadripuncta, Oegoconia245	scabrella, Ypsolopha241
quercana, Carcina243	schoenicolella, Glyphipterix240
querceti, Pammene87-92	schreberella, Phyllonorycter240
quercifolia, Gastropacha216	schulziana, Olethreutes191-194
quercus ssp. quercus, Lasiocampa150	schulziana, Philiaris191
quercus, Lasiocampa150	schumacherana, Olindia248
quercus, Neozephyrus63, 64, 107,	schwarzella, Pancalia246
157, 160	scolopacina, Apamea151
quercus, Quercusia63,64	scopariella, Agonopterix5
quinqueguttella, Phyllonorycter240	scotica ssp. juniperata, Thera149
ramulicola, Phyllocnistis16, 240	secalis, Mesapamea134
rapae, Pieris160	sedatana, Dichrorampha251
ravida, Spaelotis18	sehestediana, Prochoreutis240
reaumurella, Adela237	semifascia, Caloptilia239
rebeli, Blastobasis18, 245	semifasciana, Apotomis248
rectilinea, Hyppa173	semifulvella, Tinea238
recurvalis, Spoladea252	semifusca, Argyresthia240
reisseri, Phtheochroa87-92	semipurpurella, Eriocrania236
reliquana, Lobesia249	semitestacella, Argyresthia241
reticulata, Heliophobus18	senecionana, Clepsis247
revayana, Nycteola151	senticetella, Gelechia245
rhamni, Gonepteryx160	sequella, Ypsolopha241
rhamniella, Sorhagenia	seriata, Idaea150
rhediella, Pammene250	signaria, Macaria17
rhododactyla, Cnaemidophorus5, 253	signatana, Epinotia249
ribeata, Deileptenia150	silaceata, Ecliptopera53
roborella, Phycita167	simulans, Rhyacia149
roborella, Stigmella237	singula, Neofriseria244
robusta, Pandesma176, 177, 179, 180	sociella, Aphomia253
robustana, Bactra249	solidaginis, Lithomoia149
rosana, Archips247	sordidatella, Depressaria243
rubi, Callophrys157, 160	sororcula, Eilema2-3, 280
rubi, Macrothylacia150	sororiata, Carsia150
rubidata, Catarhoe92	spadicearia, Xanthorhoe120-127, 148
rubiginata ssp. rubiginata, Plemyria150	sparrmannella, Eriocrania236
rubiginata, Plemyria150	spinosella, Ectoedemia236
rubiginata, Scopula5	spissilimbaria, Idaea175, 177, 179
rubrescens sp. nov., Hypena219-223	splendana, Cydia251
rubricollis, Atolmis52, 151	splendens, Lacanobia34
rufescens, Helcystogramma245	sponsa, Catocala34
	1

0.42	Animi and anima Especial anima 150
steinkellneriana, Semioscopis243	trisignaria, Eupithecia
stellatarum, Macroglossum	tristalis, Paracolax
stenochrysis, Diachrysia128-136	trochilella, Coleophora
stephensi, Dystebenna182, 196	truncicolella, Eudonia
sternipennella, Coleophora242	turionella, Pseudococcyx
stewarti sp. nov., Gorgyra55-58	tutti, Diachrysia
sticticana, Epiblema250	tutti, Plusia
strigulatella, Phyllonorycter239	typhae, Nonagria151
suavis, Pseudocoremia16	uddmanniana, Epiblema
subbistrigella, Mompha246	ulmifoliae, Bucculatrix16
suberivora, Stigmella162, 237	umbrana, Acleris248
subflavidus, Gorgyra56, 57,	unguicella, Ancylis249
subpropinquella, Agonopterix244	unidentaria, f. of ferrugata,
subtusa, Ipimorpha149	Xanthorhoe
succenturiata, Eupithecia152	unimaculella, Eriocrania
suffumata, Lampropteryx4	unipuncta, Mythimna17, 149
suspecta, Parastichtis149	upupana, Ancylis249
svenssoni, Stigmella237	urania, Acontia226
swammerdamella, Nematopogon237	urticae, Aglais160
sylvanus, Ochlodes160	ustella, Ypsolopha182, 195, 241
sylvella, Ypsolopha241	ustulana, Endothenia249
sylvestris, Thymelicus160	utonella, Biselachista243
sylvina, Hepialus150	vaccinii, Conistra197-199
syriaca, Hadena226	variegana, Acleris253
syringaria, Apeira150	velocella, Aroga244
taeniata, Perizoma150	venosata, Eupithecia149
tages, Erynnis145	versurella, Coleophora242
tamesis, Coleophora242	viretata, Acasis150
tedella, Epinotia249	virgaureata, Eupithecia150
tenebrosa, Dryobotodes16	virgulata, Scopula176, 177, 179
tenuiata, Eupithecia149	viridana, Tortrix248
terebrella, Assara9, 253	viscerella, Stigmella237
terminella, Mompha246	vitellina, Mythimna151
ternata, Scopula173	vittata, Blastobasis14, 234, 245
tetraquetrana, Epinotia249	voelkeri, Autographa134
thecla, Sarangesa164	vulgana, Capua247
thoracella, Bucculatrix238	wauaria, Macaria149
thrasonella, Glyphipterix240	weaverella, Monopis238
titania, Acontia226	weirana, Strophedra250
tithonus, Pyronia160	woodiana, Celypha49-52
tragopoginis, Amphipyra53	ypsillon, Parastichtis149
trapezina, Cosmia53	zeta assimilis, Apamea151
triatomea, Elachista243	zieglerella, Cosmopterix42, 59, 246
trifasciata, Argyresthia240	zinckenella, Etiella253
trifida ssp. trifida, Xestia227	zoegana, Agapeta247
trifida, Xestia224-228	
trifolii, Discestra	
trigeminella, Coleophora242	
trimaculana, Epiblema250	COLLEMBOLA
trimaculosa, Polia151	Hymenaphorura nova *213-215
trinotella, Tinea238	Protaphorura armata215
tripuncta, Telechrysis	Proisotoma admaritma =
tripunctaria, Eupithecia149	Cryptopygus clavatus215
triseriatella, Elachista243	Cryptopygus clavatus215
115011ato11a, 121a01115ta273	CIJPtopj Sub Old valub213

ODONATA	Aulagromyza luteoscutellata230
Aeshna cyanea160	Chromatomyia aprilina169, 230, 231
Aeshna grandis160	Chromatomyia lonicerae230, 231
Aeshna isosceles155, 156, 158, 160	Chromatomyia periclymeni230, 231
Aeshna mixta160	Lipara rufitarsis209-212
Brachytron pratense158, 160	Phryxe vulgaris216
Calopteryx splendens160	Phytomyza aprilina230, 231
Coenagrion puella160	Phytomyza lonicerae230, 231
Enallagma cyanthigerum161	Phytomyza periclymeni230, 231
Ischnura elegans161	Volucella zonaria59
Libellula depressa158, 161	
Libellula quadrimaculata158, 161	
Lindenia tetraphylla272-274	
Orthetrum cancellatum161	NEUROPTERA
Pyrrhosoma nymphula158, 161	Chrysoperla carnea278,279
Selisiothemis nigra274	Euroleon nostras143, 217, 271
Sympetrum danae161	Peyerimhoffina gracilis278-279
Sympetrum fonscolombii161	Tjederina gracilis278-279
Sympetrum sanguineum161	22. Land of the control of the contr
Sympetrum striolatum161	
The state of the s	
- Constitution of the Cons	COLEOPTERA
The state of the s	Acrotrichis crotchii43
ORTHOPTERA	Acrotrichis fulva43
Chorthippus albomarginatus158, 161	Acrotrichis fulvoides43
Chorthippus brunneus161	Acrotrichis infuscata43
Chorthippus parallelus158, 161	Acrotrichis wollastoni43
Conocephalus discolor161	Cicindela campestris159
Conocephalus dorsalis159, 161	Cionus alauda86
Leptophytes punctatissima159, 161	Cionus scrophulariae86, 265-266
Meconema thalassinum159, 161	Cionus spp84-86
Metrioptera roeselii161	Cionus tuberculosus86
Myrmeleotettix maculatus158, 161	Cryptocephalus decemmaculatus261
Omocestus viridulis158, 159, 161	Cryptocephalus nitidulus257-264
Pholidoptera griseoaptera161	Pachyrhinus lethierryi278
Stethophyma grossum159	Propomacrus bimucronatus274-276
Tetrix subulata159, 161	Ramphus oxycanthae29-30
Tetrix undulata159, 161	
Tettigonia viridissima159	
wooding. City and bow	
weekloo waxaa aa	HYMENOPTERA
Trings of the state of the stat	Apanteles lacteicolor109, 110
HETEROPTERA	Baryproctus barypus209-212
Arctocorisa germari206	Baryscapus endemus84
Corixa iberica	Bombus terrestris159
Corixa punctata205	Bombus vestalis159
Cyphostethus tristriatus154	Bracon barypus209-212
Notonecta glauca204-206	Dolicogenidea lacteicolor109
Philaenus spumarius159	Entedon cionobius84, 85
	Entedon zanara266
	Ioseppinella gen nov
	Ioseppinella serena sp. nov267-271
DIPTERA	Phobocampe alticollis110
Aulagromyza cornigera230, 231	Ponera coarctata113-119
Aulagromyza hendeliana230, 231	Ponera testacea *113-119

Pteromalus spp	84, 85
PSOCOPTERA	
Amphigerontia bifasciata	35
Amphigerontia contaminata	35
Blaste quadrimaculata	
Elipsocus abdominalis	
Elipsocus mclachlani	
Elipsocus pumilis	
Elipsocus westwoodi	
Embidopsocus enderleini	
Hyalopsocus morio	
Liposcelis decolor	
Loensia variegata	
Mesopsocus immunis	
Mesopsocus unipunctatus	
Peripsocus milleri	
Philotarsus picicornis	
Propsocus pulchripennis	
Pseudopsocus rostocki	
Pteroxanium kelloggi	
Reuterella helvimacula33	5-42, 172
Trichadenotecnum sexpunctatum	

